

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	119	(73/514.32).CCLS.	US-PGPUB	OR	OFF	2006/01/09 08:37
L2	380	(73/514.32).CCLS.	USPAT	OR	OFF	2006/01/09 08:41
L3	269	(73/514.36).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 08:41
L4	70	(73/504.15).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 08:42
L5	153	(438/379).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 08:42
L6	397	(73/503).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 08:42
L7	302	(324/661).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 08:43
L8	518	(361/280).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 09:03
L9	77	voltage near15 polarity near15 direction near15 accelerat\$4	US-PGPUB; USPAT	OR	ON	2006/01/09 09:11
L10	13	voltage near15 polarity near15 direction near15 accelerat\$4	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 09:11
S2	354561	(mov\$4 or flex\$4) near15 (beam or plate or diaphram)	US-PGPUB; USPAT	OR	ON	2005/12/29 14:37
S3	339152	(fix\$4 or stationary) near15 (plate or conduct\$4 or electrode)	US-PGPUB; USPAT	OR	ON	2005/12/29 14:16
S4	1041692	capacit\$4	US-PGPUB; USPAT	OR	ON	2005/12/29 14:17
S5	50732	direct\$4 near15 accelerat\$4	US-PGPUB; USPAT	OR	ON	2005/12/29 14:17
S7	3283	transimpedance	US-PGPUB; USPAT	OR	ON	2005/12/29 14:17
S8	63386	S2 same S3	US-PGPUB; USPAT	OR	ON	2005/12/29 14:08
S9	11983	S8 and S4	US-PGPUB; USPAT	OR	ON	2005/12/29 14:09
S10	796	S9 and S5	US-PGPUB; USPAT	OR	ON	2005/12/29 14:09
S11	4	S10 and S7	US-PGPUB; USPAT	OR	ON	2005/12/29 14:09

S12	246847	(mov\$4 or flex\$4) near15 (beam or plate or diaphram)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 14:17
S13	335155	(fix\$4 or stationary) near15 (plate or conduct\$4 or electrode)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 14:17
S14	775222	capacit\$4	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 14:17
S15	17587	direct\$4 near15 accelerat\$4	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 14:45
S16	581	transimpedance	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 14:18
S17	1479	S12 and S13 and S14	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 14:18
S18	56	S17 and S15	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 14:18
S19	1	S17 and S16	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 14:37
S20	253	(voltage or power or source) near15 (series or serial) near15 (mov\$4 or flex\$4) near15 (beam or plate or diaphram)	US-PGPUB; USPAT	OR	ON	2005/12/29 14:44
S21	40	(voltage or power or source) near15 (series or serial) near15 (mov\$4 or flex\$4) near15 (beam or plate or diaphram)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 14:42
S22	41	S20 and accelerat\$4	US-PGPUB; USPAT	OR	ON	2005/12/29 14:45
S23	354561	(mov\$4 or flex\$4) near15 (beam or plate or diaphram)	US-PGPUB; USPAT	OR	ON	2005/12/30 12:38
S24	339152	(fix\$4 or stationary) near15 (plate or conduct\$4 or electrode)	US-PGPUB; USPAT	OR	ON	2005/12/30 09:57
S25	1041692	capacit\$4	US-PGPUB; USPAT	OR	ON	2005/12/30 09:57
S26	63386	S23 same S24	US-PGPUB; USPAT	OR	ON	2005/12/30 08:56
S27	11983	S26 and S25	US-PGPUB; USPAT	OR	ON	2005/12/30 08:57
S28	60413	voltage near15 polarity	US-PGPUB; USPAT	OR	ON	2005/12/30 09:57
S29	493	S27 and S28	US-PGPUB; USPAT	OR	ON	2005/12/30 09:13

S30	140	S29 and accelerat\$4	US-PGPUB; USPAT	OR	ON	2005/12/30 09:58
S31	246847	(mov\$4 or flex\$4) near15 (beam or plate or diaphragm)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 09:57
S32	335155	(fix\$4 or stationary) near15 (plate or conduct\$4 or electrode)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 09:57
S33	775222	capacit\$4	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 09:57
S34	24118	voltage near15 polarity	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 10:02
S35	278852	accelerat\$4	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 11:22
S36	1479	S31 and S32 and S33	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 09:58
S37	4	S36 and S34	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 09:59
S38	125	voltage near15 polarity near15 accelerat\$4	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 10:35
S39	646	voltage near15 polarity near15 accelerat\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/30 10:36
S40	2471	(power near3 (source or supply)) with ((mov\$4 or flex\$4) near15 (beam or plate or diaphragm or rod))	US-PGPUB; USPAT	OR	ON	2005/12/30 11:26
S41	321	S40 same S24	US-PGPUB; USPAT	OR	ON	2005/12/30 11:21
S42	465307	accelerat\$4	US-PGPUB; USPAT	OR	ON	2005/12/30 11:26
S43	39	S41 and S42	US-PGPUB; USPAT	OR	ON	2005/12/30 11:23
S44	1110	(power near3 (source or supply)) with ((mov\$4 or flex\$4) near15 (beam or plate or diaphragm or rod))	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 11:26
S45	25	S44 and accelerat\$4	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 11:37
S46	35	(two near3 plate near15 capacit\$4) same accelerat\$4	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 11:48

S48	936	(single or one ) near15 capacit\$4 near15 accelerat\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/30 12:39
S49	211	(single or one ) near15 capacit\$4 near15 accelerat\$4	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/30 11:50
S50	478350	(mov\$4 or flex\$4) near15 (beam or plate or diaphragm or rod)	US-PGPUB; USPAT	OR	ON	2005/12/30 12:39
S51	232	S50 and S48	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/30 13:42
S52	1	("4767973").PN.	US-PGPUB; USPAT	OR	OFF	2005/12/30 13:43